



Follow all hand hygiene and biosecurity measures and thoroughly clean all equipment after each use

Follow [strict social distancing measures](#) between clients at all times and be prepared to refuse to continue if animal owners do not follow the official advice

Continue to deliver emergency treatment, including euthanasia, of wildlife in accordance with your normal practice, as long as it can be done safely under social distancing rules

In the event of a practice closing completely due to Covid-19, we urge neighbouring practices to work together to ensure full geographical cover for emergency veterinary services. We are asking practices, at these difficult times, to put aside commercial interests to support one another, and ensure that on returning to normal provision clients are retained by their original practices.

Sector-specific advice



Post-op checks

Repeat medication checks, if stable

Vomiting/diarrhoea in a well animal

Jaundice

Pallor

Dental complaints

Lumps


Wounds



gency:

Suspend/Delay

- Pre-purchase examinations
- Routine dental work
- 6-monthly vaccinations
- Stallion licensing
- Routine health checks
- Riding school inspections
- Radiography for sales or survey studies
- Routine reproductive work
- Poor performance investigations



Do not enter the farmhouse for any reason

Follow the most up to date government advice re statutory surveillance and bovine TB testing from APHA covering Great Britain and DAERA in Northern Ireland

Examples to help assess whether a case is urgent or an emergency:

Suspend/Delay